INDEX TO AUTHORS.

A

Abderhalden, Emil. Sulfur in proteins. III. Derivatives of *l*- and *i*-cystine. A correction, 195

Abramson, Harold A., Eggleton, M. Grace, and **Eggleton, Philip.** The utilization of intravenous sodium *r*-lactate. III. Glycogen synthesis by the liver. Blood sugar. Oxygen consumption, 763

— and **Eggleton, Philip.** The utilization of intravenous sodium *r*-lactate. I. Excretion by kidneys and intestines, 745

— and —. II. Changes in acid-base equilibrium as evidence of utilization, 753

Atchley, Dana W., and **Benedict, Ethel M.** The distribution of electrolytes in intestinal obstruction, 697

Axtmayer, J. H. See SHERMAN and AXTMAYER, 207

B

Baudisch, Oskar, and **Davidson, David.** The catalytic oxidation of hydantoins, 247

Benedict, Ethel M. See ATCHLEY and BENEDICT, 697

Blatherwick, N. R., Sahyun, Melville, and **Hill, Elsie.** Some effects of synthalin on metabolism, 671

Bloor, W. R., Gillette, Ethelyn M., and **James, Mildred S.** Fat metabolism in diabetes. I. The blood lipids in experimental diabetes, 61

Blunt, Katharine. See WILLARD and BLUNT, 251

Bock, A. V. See HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT, 305

Bodey, Mabel G., Lewis, Howard B., and **Huber, John F.** The absorption and utilization of inulin as evidenced by glycogen formation in the white rat, 715

Boyd, James I. See ROE, IRISH, and BOYD, 685

Boynton, Lyman C., and **Miller, Robert C.** The occurrence of a cellulase in the shipworm, 613

Brown, Herman. The mineral content of human skin, 789

C

Cannon, Helen C. See MENDEL and CANNON, 779

van Caulaert, C. See HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT, 305

Cerecedo, Leopold R. Studies on the physiology of pyrimidines, 661

XUM

Chambers, William H., Deuel, Harry J., Jr., and **Milhorat, Adolph T.** Animal calorimetry. Thirty-sixth paper. The effect of insulin on the metabolism of dogs under amytal anesthesia, 423

Chanutin, Alfred. A study of the effect of creatine on growth, and its distribution in the tissues of normal rats, 549

—. See ROSE, HELMER, and CHANUTIN, 543

Christman, A. A., and **Eckstein, H. C.** Purine metabolism. I. The distribution of uric acid in the blood and lymph of the dog following the intravenous injection of uric acid, 201

Church, Margaret B. See MAY, HERRICK, THOM, and CHURCH, 417

Clark, E. P. Studies on gossypol. I. The preparation, purification, and some of the properties of gossypol, the toxic principle of cottonseed, 725

Clough, George William. Configurational relationships of 2-hydroxybutyric and lactic acids. A reply, 489

Cohen, Harriet R. See KUTTNER and COHEN, 517

Csapo, Joseph. The influence of proteins on the solubility of calcium phosphate, 509

Csonka, Frank A. Studies on glutelins. III. The glutelin of oats (*Avena sativa*), 189

D

Dahle, Chester D. See DUTCHER, HONEYWELL, and DAHLE, 85

Davidson, David. See BAUDISCH and DAVIDSON, 247

Deuel, Harry J., Jr. The respiratory metabolism following the administration of various carbohydrates, 367

—. See CHAMBERS, DEUEL, and MILHORAT, 423

Dill, D. B. See HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT, 305

Dow, Odessa D. See SUPPLEE and DOW, 227

Drabkin, David L. The normal pigment of the urine. I. The relationship of urinary pigment output to diet and metabolism, 443

—. II. The relationship of the basal metabolism to the output of the normal urinary pigment, 481

Dutcher, R. Adams, Honeywell, Hannah E., and **Dahle, Chester D.** Vitamin studies. XVI. Vitamin A in evaporated milks made by vacuum and aeration methods, 85

E

Eaton, Emily P., and **West, Edward S.** The volumetric estimation of alkoxyl groups in organic compounds. A modification of the Zeisel procedure applicable to meth-

oxyl-, ethoxyl-, and sulfur-containing compounds, 283

Eckstein, H. C. See CHRISTMAN and ECKSTEIN, 201

Eggleton, M. Grace. See ABRAMSON, EGGLETON, and EGGLETON, 763

Eggleton, Philip. See ABRAMSON and EGGLETON, 745, 753

—. See ABRAMSON, EGGLETON, and EGGLETON, 763

Estill, Howard W., and **McCollum, E. V.** The separation of a substance from oils which inhibits the destruction of vitamin A by ferrous sulfate, 157

Evenden, James. See CHAMBERS, DEUEL, and MILHORAT, 423

F

Folin, Otto, Trimble, Harry C., and **Newman, Lloyd H.** The distribution and recovery of glucose injected into animals, 263

G

Gersdorff, Charles E. F. See JONES and GERSDORFF, 213

Gibson, R. B. See MAGERS and GIBSON, 299

Gillette, Ethelyn M. See BLOOR, GILLETTE, and JAMES, 61

Gordon, Samuel M. The crossed dismutation between aldehydes and ketones. I. Benzaldehyde and menthone, and their significance for the menthone-menthol relations in *Mentha piperita* L., 163

Gortner, Ross Aiken. Sulfur in proteins. III. Derivatives of *l*- and *i*-cystine. A reply, 199

Greenwald, Isidor, Gross, Joseph, and **McGuire, Grace.** Observations on the nature of the sugar of normal urine, 491

Gross, Joseph. See GREENWALD, GROSS, and MCGUIRE, 491

H

Hart, Merrill C. See HEYL and HART, 407

Heller, V. G. Nutritive properties of the mung bean, 435

Helmer, Oscar M. See ROSE, HELMER, and CHANUTIN, 543

Henderson, L. J., Bock, A. V., Dill, D. B., Hurxthal, L. M., and **van Caulaert, C.** Blood as a physicochemical system. VI. The composition and respiratory exchanges of human blood in terminal chronic nephritis, 305

Henderson, Marjorie, and **Millet, John A. P.** On the hydrogen ion determination of normal saliva, 559

Herrick, Horace T. See MAY, HERRICK, THOM, and CHURCH, 417

Heyl, Frederick W., and **Hart, Merrill C.** The chemical studies of the ovary. XIII. The water-soluble extractives of ovarian residue, 407

XUM

Hill, Elsie. See BLATHERWICK, SAHYUN, and HILL, 671
Honeywell, Hannah E. See DUTCHER, HONEYWELL, and DAHLE, 85
Hoskins, F. Meredith, and **Snyder, Franklin F.** Observations on the absence of hypoglycemia after the intraperitoneal injection of insulin in well fed rabbits, 147
Howard, Frederick H. See KING and HOWARD, 27
Hubbell, Rebecca B., and **Mendel, Lafayette B.** Zinc and normal nutrition, 567
Huber, John F. See BODEY, LEWIS, and HUBER, 715
Hurxthal, L. M. See HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT, 305

I

Irish, Oliver J. See ROE, IRISH, and BOYD, 685

J

James, Mildred S. See BLOOR, GILLETTE, and JAMES, 61
Johnson, J. M., and **Voegtlin, Carl.** On the preparation and properties of pure glutathione (glutaminyl-cysteine), 703
Jones, D. Breese, and **Gersdorff, Charles E. F.** Proteins of sesame seed, *Sesamum indicum*, 213
Jones, James H. The relation of the inorganic constituents of a ration to the production of ophthalmia in rats, 139

K

Kennedy, Cornelia. See PALMER and KENNEDY, 619
King, J. F., and **Howard, Frederick H.** The electrometric determination of iron in blood, 27
Kingsbury, Francis B. Note on the effect of glucose on the condensation of formaldehyde. I. The determination of urinary sugar by this principle, 241
Kuttner, Theodore, and **Cohen, Harriet R.** Micro colorimetric studies. I. A molybdic acid, stannous chloride reagent. The micro estimation of phosphate and calcium in pus, plasma, and spinal fluid, 517

L

Landsteiner, K. See LEVENE and LANDSTEINER, 607
Leavenworth, Charles S. See VICKERY and LEAVENWORTH, 115
Levene, P. A., and **Landsteiner, K.** On some new lipoids, 607
— and **Mikeska, L. A.** On Walden inversion. XI. On the oxidation of secondary mercaptans to corresponding sulfonic acids and on the Walden inversion in the series of secondary carbinols, 587
—, **Mori, T.,** and **Mikeska, L. A.** On Walden inversion. X. On the oxidation of 2-thiolcarboxylic acids to the corresponding sulfonic acids and on the Walden inversion in the series of 2-hydroxycarboxylic acids, 337

Levene, P. A., and **Walti, A.** On condensation products of propylene oxide and of glycidol, 325
— and **Wintersteiner, Oskar.** Lactone formation of galactoarabonic and of melibionic acids and its bearing on the structures of lactose and of melibiose, 315
Levine, Harold, and **Smith, Arthur H.** Studies on ketosis in the rat, 1
Lewis, Howard B. See BODEY, LEWIS, and HUBER, 715
Lindow, C. W., and **Peterson, W. H.** The manganese content of plant and animal materials, 169

M

Magers, Elizabeth J., and **Gibson, R. B.** The relation between optical activity and the reducing power of glucose excreted by renal diabetics, 299
May, Orville E., Herrick, Horace T., Thom, Charles, and **Church, Margaret B.** The production of gluconic acid by the *Penicillium luteum-purpurogenum* group. I, 417
McCollum, E. V. See ESTILL and MCCOLLUM, 157
McGuire, Grace. See GREENWALD, GROSS, and MCGUIRE, 491
McInerney, T. J. See SHARP and MCINERNEY, 177
Mendel, Lafayette B., and **Cannon, Helen C.** The relation of the rate of growth to diet. II, 779
—. See HUBBELL and MENDEL, 567
Mikeska, L. A. See LEVENE and MIKESKA, 587
—. See LEVENE, MORI, and MIKESKA, 337
Milhorat, Adolph T. See CHAMBERS, DEUEL, and MILHORAT, 423
Miller, Robert C. See BOYNTON and MILLER, 613
Millet, John A. P. See HENDERSON and MILLET, 559
Mitchell, Helen S., and **Vaughn, Margery.** The relation of inorganic iron to nutritional anemia, 123
Mori, T. See LEVENE, MORI, and MIKESKA, 337

N

Newman, Lloyd H. See FOLIN, TRIMBLE, and NEWMAN, 263

P

Palmer, Leroy S., and **Kennedy, Cornelia.** The fundamental food requirements for the growth of the rat. II. The effect of variations in the proportion and quality of recognized nutrients, 619
Peterson, W. H. See LINDOW and PETERSON, 169
Pierce, H. F. Nitrocellulose membranes of graded permeability, 795

R

Rabinowitch, I. M. Observations on the metabolism of dihydroxyacetone in normal and diabetic individuals, 45
Roe, Joseph H., Irish, Oliver J., and **Boyd, James I.** The preservation of blood for

XUM

chemical analysis by the use of sodium fluoride, 685
Rose, William C., Helmer, Oscar M., and **Chanutin, Alfred.** A modified method for the estimation of total creatinine in small amounts of tissues, 543
—. See WESTERMAN and ROSE, 533
Rothwell, Carmen S. Direct precipitation of calcium in human milk, 23
Rule, William. See WRIGHT and RULE, 185

S

Sahyun, Melville. See BLATHERWICK, SAHYUN, and HILL, 671
Sharp, Paul Francis, and **McInerney, T. J.** The relation of the hydrogen ion concentration to the titratable acidity of milk, 177
Sherman, H. C., and **Axtmayer, J. H.** A quantitative study of the problem of the multiple nature of vitamin B, 207
Shope, Richard E. Sugar and cholesterol in the blood serum as related to fasting, 101
Smith, Arthur H. See LEVINE and SMITH, 1
Smith, James H. C., and **Young, William G.** Modifications of Rast's micro method for molecular weight determinations, 289
Snyder, Franklin F. See HOSKINS and SNYDER, 147
Somogyi, Michael. Reducing non-sugars and true sugar in human blood, 33
Stimson, Barbara B. Changes in the oxygen capacity of the blood pigment of rabbits following the administration of nitrobenzene, 741
—. Changes in the oxygen capacity of the blood pigment of rabbits following splenectomy, 95
Supplee, G. C., and **Dow, Odessa D.** Vitamin A potency of irradiated milk, 227

T

Thom, Charles. See MAY, HERRICK, THOM, and CHURCH, 417
Trimble, Harry C. See FOLIN, TRIMBLE, and NEWMAN, 263

V

Vaughn, Margery. See MITCHELL and VAUGHN, 123
Vickery, Hubert Bradford, and **Leavenworth, Charles S.** On the separation of histidine and arginine. III. The preparation of arginine, 115
du Vigneaud, Vincent. The sulfur of insulin, 393
Voegtlin, Carl. See JOHNSON and VOEGTLIN, 703

W

Walti, A. See LEVENE and WALTI, 325
West, Edward S. See EATON and WEST, 283
Westerman, Beulah D., and **Rose, William C.** The availability of disulfide acids as supplementing agents in diets deficient in cystine, 533

Willard, Alice C., and **Blunt, Katharine.** A comparison of evaporated with pasteurized milk as a source of calcium, phosphorus, and nitrogen, 251

Wintersteiner, Oskar. See LEVENE and WINTERSTEINER, 315

Wright, Norman Charles, and **Rule, William.** A simple form of rotating dialyzer, 185

Y

Young, William G. See SMITH and YOUNG, 289

XUM

INDEX TO SUBJECTS.

A

Absorption:
Inulin, evidenced by glycogen formation (BODEY, LEWIS, and HUBER) 715

Acid(s):
-base equilibrium, changes, evidence of sodium *r*-lactate utilization (ABRAMSON and EGGLETON) 753
Disulfide, cystine-deficient diet supplement (WESTERMAN and ROSE) 533

Acidity:
Titratable, milk, hydrogen ion concentration relation to (SHARP and MCINERNEY) 177

Aldehydes:
Ketones and, crossed dismutation. I (GORDON) 163

Alkoxyl:
Groups, organic compounds, volumetric estimation (EATON and WEST) 283

Amytal:
Anesthesia, metabolism during, insulin effect (CHAMBERS, DEUEL, and MILHORAT) 423

Anemia:
Nutritional, inorganic iron, relation (MITCHELL and VAUGHN) 123

Anesthesia:
Amytal, metabolism during, insulin effect (CHAMBERS, DEUEL, and MILHORAT) 423

Animal:
Manganese content (LINDOW and PETERSON) 169

Arginine:
Histidine, separation. III (VICKERY and LEAVENWORTH) 115
Preparation (VICKERY and LEAVENWORTH) 115

Avena sativa:
Glutelin (CSONKA) 189

B

Base:
Acid-base equilibrium, changes, evidence of sodium *r*-lactate utilization (ABRAMSON and EGGLETON) 753

Bean:
See Mung bean.

Benzaldehyde:
Menthone and, significance for menthone-menthol relations in *Mentha piperita* L. (GORDON) 163

Blood:
Composition, human, in terminal chronic nephri-

Blood—*continued:*
tis (HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT) 305
Iron, electrometric determination (KING and HOWARD) 27
Lipids, diabetes (BLOOR, GILLETTE, and JAMES) 61
Physicochemical system. VI (HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT) 305
Pigment, oxygen capacity, changes following nitrobenzene administration (STIMSON) 741
—, — —, — following splenectomy (STIMSON) 95
Preservation, sodium fluoride for (ROE, IRISH, and BOYD) 685
Respiratory exchanges, human, in terminal chronic nephritis (HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT) 305
Serum, sugar and cholesterol, related to fasting (SHOPE) 101
Sugar, human, true, and reducing non-sugars (SOMOGYI) 33
—, sodium *r*-lactate effect (ABRAMSON, EGGLETON, and EGGLETON) 763
Uric acid distribution following intravenous injection of uric acid (CHRISTMAN and ECKSTEIN) 201

C

Calcium:
Micro estimation, in pus, plasma, and spinal fluid, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Milk, evaporated and pasteurized (WILLARD and BLUNT) 251
Precipitation, direct, human milk (ROTHWELL) 23
Calcium phosphate:
Solubility, protein influence (CSAPO) 509
Calorimetry:
Animal. XXXVI (CHAMBERS, DEUEL, and MILHORAT) 423
Carbinol:
Secondary, Walden inversion (LEVENE and MIKESKA) 587
Carbohydrate:
Respiratory metabolism following administration (DEUEL) 367
Catalysis:
Oxidation of hydantoins (BAUDISCH and DAVIDSON) 247
Cellulase:
Ship-worm (BOYNTON and MILLER) 613
Cholesterol:
Blood serum, related to fasting (SHOPE) 101
Colorimetry:
Micro. I (KUTTNER and COHEN) 517
Cottonseed:
Toxic principle, preparation, purification, and properties (CLARK) 725

Creatine:
Growth effect (CHANUTIN) 549
Tissue, distribution (CHANUTIN) 549
Creatinine:
Tissue in small amounts, estimation (ROSE, HELMER, and CHANUTIN) 543
Cystine:
Diet deficient in, disulfide acids, supplement (WESTERMAN and ROSE) 533
***i*-Cystine:**
Derivatives (ABDERHALDEN) 195
— (GORTNER) 199
***l*-Cystine:**
Derivatives (ABDERHALDEN) 195
— (GORTNER) 199

D

Diabetes:
Blood lipids (BLOOR, GILLETTE, and JAMES) 61
Dihydroxyacetone metabolism (RABINOWITCH) 45
Fat metabolism. I (BLOOR, GILLETTE, and JAMES) 61
Renal, relation between optical activity and reducing power of glucose excreted in (MAGERS and GIBSON) 299
Dialysis:
Rotating dialyzer (WRIGHT and RULE) 185
Diet:
Cystine-deficient, disulfide acids, supplement (WESTERMAN and ROSE) 533
Diet—*continued:*
Disulfide acids, supplement, cystine-deficient (WESTERMAN and ROSE) 533
Growth, rate. II. (MENDEL and CANNON) 779
Inorganic constituents, relation to ophthalmia production (JONES) 139
Urinary pigment output, relationship (DRABKIN) 443
Dihydroxyacetone:
Metabolism, normal and diabetic individuals (RABINOWITCH) 45
Dismutation:
Crossed, aldehydes and ketones. I (GORDON) 163
Disulfide:
Acids, cystine-deficient diet supplement (WESTERMAN and ROSE) 533

E

Electrolyte:
Distribution, intestinal obstruction (ATCHLEY and BENEDICT) 697
Electrometric:
Blood, iron, determination (KING and HOWARD) 27
Iron, blood, determination (KING and HOWARD) 27
Equilibrium:
Acid-base, changes, evidence of sodium *r*-lactate utilization (ABRAMSON and EGGLETON) 753

XUM

Ethoxyl:
-containing compounds, modified Zeisel procedure for (Eaton and West) 283
Excretion:
Sodium *r*-lactate, intravenous, by kidney and intestine (Abramson and Eggleton) 745
Extractives:
Ovarian residue, water-soluble (Heyl and Hart) 407

F

Fasting:
Cholesterol in blood serum, relation to (Shope) 101
Sugar in blood serum, relation to (Shope) 101
Fat:
Metabolism in diabetes. I (Bloor, Gillette, and James) 61
Ferrous sulfate:
Vitamin A destruction by, inhibited by substance from oils (Estill and McCollum) 157
Food:
Growth requirements. II (Palmer and Kennedy) 619
Formaldehyde:
Condensation, glucose effect. I (Kingsbury) 241

G

Galactoarabonic acid:
Lactone formation of, bearing on lactose structure (Levene and Wintersteiner) 315
Gluconic acid:
Production by *Penicillium luteum-purpurogenum* group. I (May, Herrick, Thom, and Church) 417
Glucose:
Excretion, renal diabetics, relation between optical activity and reducing power (Magers and Gibson) 299
Formaldehyde condensation, effect of. I (Kingsbury) 241
Injected, distribution and recovery (Folin, Trimble, and Newman) 263
Glutaminyl-cysteine:
Preparation and properties (Johnson and Voegtlin) 703
Glutathione:
Preparation and properties (Johnson and Voegtlin) 703
Glutelin:
III (Csonka) 189
Oat (*Avena sativa*) (Csonka) 189
Glycidol:
Condensation products (Levene and Walti) 325
Glycogen:
Inulin absorption and utilization, evidenced by formation of (Bodey, Lewis, and Huber) 715
Liver, synthesis, sodium *r*-lactate effect (Abramson, Eggleton, and Eggleton) 763
Gossypol:
I (Clark) 725

Gossypol—*continued:*
Preparation, purification, and properties (CLARK) 725
Growth:
Creatine effect (CHANUTIN) 549
Diet, relation to rate. II (MENDEL and CANNON) 779
Food requirements. II (PALMER and KENNEDY) 619

H

Histidine:
Arginine, separation. III (VICKERY and LEAVENWORTH) 115
Hydantoin:
Oxidation, catalytic (BAUDISCH and DAVIDSON) 247
Hydrogen:
Ion concentration, relation to titratable acidity of milk (SHARP and McINERNEY) 177
— determination, saliva (HENDERSON and MILLET) 559
2-Hydroxybutyric acid:
Lactic acid, configurational relationship (CLOUGH) 489
2-Hydroxycarboxylic acid(s):
Walden inversion (LEVENE, MORI, and MIKESKA) 337
Hypoglycemia:
Insulin injection, intraperitoneal, absence after (HOSKINS and SNYDER) 147

I

Inorganic:
Iron, nutritional anemia, relation (MITCHELL and VAUGHN) 123
Ration constituents, relation to ophthalmia production (JONES) 139
Insulin:
Intraperitoneal injection, absence of hypoglycemia after (HOSKINS and SNYDER) 147
Metabolism, during amytal anesthesia, effect (CHAMBERS, DEUEL, and MILHORAT) 423
Sulfur (DU VIGNEAUD) 393
Intestine:
Obstruction, electrolyte distribution (ATCHLEY and BENEDICT) 697
Sodium *r*-lactate excretion (ABRAMSON and EGGLETON) 745
Intraperitoneal:
Insulin injection, absence of hypoglycemia after (HOSKINS and SNYDER) 147
Intravenous:
Sodium *r*-lactate. I (ABRAMSON and EGGLETON) 745
— —. II (ABRAMSON and EGGLETON) 753
— —. III (ABRAMSON, EGGLETON, and EGGLETON) 763
— —, acid-base equilibrium changes due to utili-

Intravenous—*continued:*
zation of (ABRAMSON and EGGLETON) 753
Sodium *r*-lactate, blood sugar, effect (ABRAMSON, EGGLETON, and EGGLETON) 763
— —, glycogen synthesis by liver, effect (ABRAMSON, EGGLETON, and EGGLETON) 763
— —, intestine excretion (ABRAMSON and EGGLETON) 745
— —, kidney excretion (ABRAMSON and EGGLETON) 745
— —, oxygen consumption, effect (ABRAMSON, EGGLETON, and EGGLETON) 763
Uric acid, intravenously injected, effect on uric acid distribution in blood and lymph (CHRISTMAN and ECKSTEIN) 201

Inulin:
Glycogen formation, evidence of absorption and utilization (BODEY, LEWIS, and HUBER) 715

Ion:
Hydrogen, concentration, relation to titratable acidity of milk (SHARP and MCINERNEY) 177
—, saliva, determination (HENDERSON and MILLET) 559

Iron:
Blood, electrometric determination (KING and HOWARD) 27

Iron—*continued:*
Inorganic, nutritional anemia, relation (MITCHELL and VAUGHN) 123

Irradiation:
Milk, effect on vitamin A potency (SUPPLEE and DOW) 227

K

Ketones:
Aldehydes and, crossed dismutation. I (GORDON) 163

Ketosis:
Rat (LEVINE and SMITH) 1

Kidney:
Diabetes, renal, relation between optical activity and reducing power of glucose excreted in (MAGERS and GIBSON) 299
Sodium *r*-lactate excretion (ABRAMSON and EGGLETON) 745

L

Lactic acid:
2-Hydroxybutyric acid, configurational relationship (CLOUGH) 489

Lactone:
Galactoarabonic acid, formation, bearing on lactose structure (LEVENE and WINTERSTEINER) 315
Melibionic acid, formation, bearing on melibiose structure (LEVENE and WINTERSTEINER) 315

Lactose:
Structure, lactone formation of galactoarabonic acid, effect on (LEVENE and WINTERSTEINER) 315

Lipid:
Blood, diabetes (BLOOR, GILLETTE, and JAMES) 61

Lipoids:
New (LEVENE and LANDSTEINER) 607

Liver:
Glycogen synthesis, sodium *r*-lactate effect (ABRAMSON, EGGLETON, and EGGLETON) 763

Lymph:
Uric acid distribution following intravenous injection of uric acid (CHRISTMAN and ECKSTEIN) 201

M

Manganese:
Animal materials (LINDOW and PETERSON) 169
Plant materials (LINDOW and PETERSON) 169

Melibionic acid:
Lactone formation of, bearing on melibiose structure (LEVENE and WINTERSTEINER) 315

Melibiose:
Structure, lactone formation of melibionic acid, effect on (LEVENE and WINTERSTEINER) 315

Membranes:
Nitrocellulose, permeability (PIERCE) 795

Mentha piperita L.:
Benzaldehyde and menthone, significance for menthone-menthol relations (GORDON) 163

Menthol:
Menthone-menthol, relations in *Mentha piperita* L., benzaldehyde and menthone significance (GORDON) 163

Menthone:
Benzaldehyde and, significance for menthone-menthol relations in *Mentha piperita* L. (GORDON) 163
-menthol relations in *Mentha piperita* L., benzaldehyde and menthone significance (GORDON) 163

Mercaptans:
Secondary, oxidation to corresponding sulfonic acids (LEVENE and MIKESKA) 587

Metabolism:
Dihydroxyacetone, normal and diabetic individuals (RABINOWITCH) 45
Fat, in diabetes. I (BLOOR, GILLETTE, and JAMES) 61
Insulin, effect on, during amytal anesthesia (CHAMBERS, DEUEL, and MILHORAT) 423
Purine. I (CHRISTMAN and ECKSTEIN) 201
Respiratory, following car-

Metabolism—*continued:*
bohydrate administration (DEUEL) 367
Synthalin effect on (BLATHERWICK, SAHYUN, and HILL) 671
Urinary pigment output, relationship (DRABKIN) 443, 481
Methoxyl:
-containing compounds, modified Zeisel procedure for (EATON and WEST) 283
Milk:
Acidity, titratable, hydrogen ion concentration relation to (SHARP and McINERNEY) 177
Calcium, human, direct precipitation (ROTHWELL) 23
Evaporated, compared with pasteurized, as source of calcium, phosphorus, and nitrogen (WILLARD and BLUNT) 251
—, vitamin A in, made by vacuum and aeration methods (DUTCHER, HONEYWELL, and DAHLE) 85
Human, calcium precipitation, direct (ROTHWELL) 23
Irradiated, vitamin A potency (SUPPLEE and DOW) 227
Pasteurized, compared with evaporated, as source of calcium, phosphorus, and nitrogen (WILLARD and BLUNT) 251
Vitamin A in evaporated, made by vacuum and
Milk—*continued:*
aeration methods (DUTCHER, HONEYWELL, and DAHLE) 85
Mineral:
Skin content (BROWN) 789
Molecular weight:
Determinations, Rast's micro method, modifications (SMITH and YOUNG) 289
Molybdic acid:
Stannous chloride reagent, micro estimation of phosphate and calcium (KUTTNER and COHEN) 517
Mung bean:
Nutritive properties (HELLER) 435

N

Nephritis:
Blood composition, human, in terminal chronic nephritis (HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT) 305
Respiratory exchange, human, in terminal chronic nephritis (HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT) 305
Nitrobenzene:
Oxygen capacity, blood pigment, changes following administration (STIMSON) 741
Nitrocellulose:
Membranes, permeability (PIERCE) 795
Nitrogen:
Milk, evaporated and pasteurized (WILLARD and BLUNT) 251

Nutrient:
Proportion and quality, effect (PALMER and KENNEDY) 619
Nutrition:
Inorganic iron, nutritional anemia, relation (MITCHELL and VAUGHN) 123
Mung bean (HELLER) 435
Zinc (HUBBELL and MENDEL) 567

O

Oat:
Glutelin (CSONKA) 189
Oil:
Substance from, inhibiting destruction of vitamin A by ferrous sulfate (ESTILL and MCCOLLUM) 157
Ophthalmia:
Inorganic constituents of ration, relation to production (JONES) 139
Optical activity:
Glucose, excreted by renal diabetics, reducing power, relation (MAGERS and GIBSON) 299
See also Walden inversion.
Organic:
Compounds, alkoxyl groups in, volumetric estimation (EATON and WEST) 283
Ovary:
Chemistry. XIII (HEYL and HART) 407
Residue, water-soluble extractives (HEYL and HART) 407
Oxidation:
Catalytic, of hydantoins (BAUDISCH and DAVIDSON) 247
Hydantoins, catalytic (BAUDISCH and DAVIDSON) 247
Mercaptans, secondary, to corresponding sulfonic acids (LEVENE and MIKESKA) 587
2-Thiolcarboxylic acids to corresponding sulfonic acids (LEVENE, MORI, and MIKESKA) 337
Oxygen:
Blood pigment, capacity, changes following splenectomy (STIMSON) 95
Capacity, blood pigment, changes following nitrobenzene administration (STIMSON) 741
—, — —, — following splenectomy (STIMSON) 95
Consumption, sodium *r*-lactate effect (ABRAMSON, EGGLETON, and EGGLETON) 763

P

Penicillium:
luteum-purpurogenum, gluconic acid production. I (MAY, HERRICK, THOM, and CHURCH) 417
Permeability:
Membrane, nitrocellulose (PIERCE) 795
Phosphate:
Micro estimation, in pus, plasma, and spinal fluid, with molybdic acid,

Phosphate—*continued:*
stannous chloride reagent (KUTTNER and COHEN) 517
Phosphorus:
Milk, evaporated and pasteurized (WILLARD and BLUNT) 251
Physiology:
Pyrimidines (CERECEDO) 661
Pigment:
Blood, oxygen capacity, changes following nitrobenzene administration (STIMSON) 741
—, — —, — following splenectomy (STIMSON) 95
Urine. I (DRABKIN) 443
—. II (DRABKIN) 481
—, output, diet relationship (DRABKIN) 443
—, —, metabolism relationship (DRABKIN) 443, 481
Plant:
Manganese content (LINDOW and PETERSON) 169
Plasma:
Calcium, micro estimation, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Phosphate, micro estimation, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Precipitation:
Calcium, direct, human milk (ROTHWELL) 23
Propylene oxide:
Condensation products (LEVENE and WALTI) 325
Protein(s):
Calcium phosphate solubility, influenced by (CSAPO) 509
Sesame seed, *Sesamum indicum* (JONES and GERSDORFF) 213
Sulfur (ABDERHALDEN) 195
— (GORTNER) 199
Purine:
Metabolism. I (CHRISTMAN and ECKSTEIN) 201
Pus:
Calcium, micro estimation, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Phosphate, micro estimation, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Pyrimidine:
Physiology (CERECEDO) 661

R

Rast:
Micro method, modifications, molecular weight determinations (SMITH and YOUNG) 289
Reduction:
Glucose excreted by renal diabetics, relation between optical activity and reducing power (MAGERS and GIBSON) 299

Renal:
See Kidney.
Respiration:
Metabolism following carbohydrate administration (DEUEL) 367
Respiratory exchange:
Blood, human, in terminal chronic nephritis (HENDERSON, BOCK, DILL, HURXTHAL, and VAN CAULAERT) 305

S

Saliva:
Hydrogen ion determination (HENDERSON and MILLET) 559
Serum:
Blood, sugar and cholesterol, related to fasting (SHOPE) 101
Sesame seed:
Proteins (JONES and GERSDORFF) 213
Sesamum:
indicum, proteins (JONES and GERSDORFF) 213
Ship-worm:
Cellulase (BOYNTON and MILLER) 613
Skin:
Mineral content (BROWN) 789
Sodium fluoride:
Blood preservation with (ROE, IRISH, and BOYD) 685
Sodium *r*-lactate:
Intravenous. I (ABRAMSON and EGGLETON) 745
—. II (ABRAMSON and EGGLETON) 753
—. III (ABRAMSON, EGGLETON, and EGGLETON) 763
Solubility:
Calcium phosphate, protein influence (CSAPO) 509
Spinal fluid:
Calcium, micro estimation, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Phosphate, micro estimation, with molybdic acid, stannous chloride reagent (KUTTNER and COHEN) 517
Splenectomy:
Blood pigment, oxygen capacity changes following (STIMSON) 95
Oxygen capacity, changes in blood pigment following (STIMSON) 95
Stannous chloride:
Molybdic acid reagent, micro estimation of phosphate and calcium (KUTTNER and COHEN) 517
Sugar:
Blood, reducing non-sugars, human (SOMOGYI) 33
— serum related to fasting (SHOPE) 101
—, sodium *r*-lactate effect (ABRAMSON, EGGLETON, and EGGLETON) 763
—, true, human (SOMOGYI) 33
Reducing non-sugars, human blood (SOMOGYI), 33
True, human blood (SOMOGYI) 33
Urine, determination, by glucose effect on formal-

XUM

Sugar—*continued:*
dehyde condensation (KINGSBURY) 241
Urine, normal (GREENWALD, GROSS, and MCGUIRE) 491
Sulfonic acid:
Mercaptans, secondary, oxidation to (LEVENE and MIKESKA) 587
2-Thiolcarboxylic acid oxidation to (LEVENE, MORI, and MIKESKA) 337
Sulfur:
-containing compounds, modified Zeisel procedure for (EATON and WEST) 283
Insulin (DU VIGNEAUD) 393
Proteins (ABDERHALDEN) 195
— (GORTNER) 199
Synthalin:
Metabolism, effect (BLATHERWICK, SAHYUN, and HILL) 671

T

2-Thiolcarboxylic acid:
Oxidation to corresponding sulfonic acids (LEVENE, MORI, and MIKESKA) 337
Tissue:
Creatine distribution (CHANUTIN) 549
Creatinine, in small amounts of, estimation (ROSE, HELMER, and CHANUTIN) 543
Toxicity:
Cottonseed, preparation, purification, and properties of toxic principle (CLARK) 725
Toxicity—*continued:*
Gossypol, preparation, purification, and properties (CLARK) 725

U

Uric acid:
Blood and lymph, distribution, following intravenous injection of uric acid (CHRISTMAN and ECKSTEIN) 201
Intravenously injected, effect on uric acid distribution in blood and lymph (CHRISTMAN and ECKSTEIN) 201
Urine:
Pigment. I (DRABKIN) 443
—. II (DRABKIN) 481
— output, diet relationship (DRABKIN) 443
— —, metabolism relationship (DRABKIN) 443, 481
Sugar (GREENWALD, GROSS, and MCGUIRE) 491
— determination, by glucose effect on formaldehyde condensation (KINGSBURY) 241

V

Vitamin(s):
XVI (DUTCHER, HONEYWELL, and DAHLE) 85
A destruction by ferrous sulfate, inhibited by substance from oils (ESTILL and MCCOLLUM) 157

Vitamin(s)—*continued:*
A, milk, evaporated, made by vacuum and aeration methods (DUTCHER, HONEYWELL, and DAHLE) 85
—, —, irradiated, potency (SUPPLEE and DOW) 227
B, multiple nature, quantitative study (SHERMAN and AXTMAYER) 207

W

Walden inversion:
X (LEVENE, MORI, and MIKESKA) 337
XI (LEVENE and MIKESKA) 587

Walden inversion—*continued:*
Carbinols, secondary (LEVENE and MIKESKA) 587
2-Hydroxycarboxylic acid series (LEVENE, MORI, and MIKESKA) 337

Water:
-soluble extractives, ovarian residue (HEYL and HART) 407

Z

Zeisel:
Modified procedure, for methoxyl-, ethoxyl-, and sulfur-containing compounds (EATON and WEST) 283

Zinc:
Nutrition (HUBBELL and MENDEL) 567

XUM